

# Colon Cancer

## *Poly-MVA Cancer Patient Testimonials*

### L. Jones

Date: February 14, 2007

Diagnosis: Colon Cancer Stage 3C

E-Mail: not available

No  
Photo  
Available

#### February 14, 2007

I was **diagnosed with colon cancer 2/14/07 at 62 years of age**. That same day I visited my primary care physician, Dr. Robert Milne, who prescribed Poly-MVA. **After taking Poly-MVA only a few days, I began to feel stronger** despite being severely anemic from the colon cancer lesion causing bleeding.

In early March **I had a right hemi-colectomy (half of my colon removed) and post surgical pathology report revealed the cancer had permeated my bowel wall and spread to nine lymph nodes**, making the cancer stage 3C which I learned statically provides **40-45% chance of surviving five years**.

My oncologist encouraged me by saying my odds were more like **50% with surgery alone**, and that chemotherapy would improve that outlook. **I took Poly-MVA throughout all of my treatments**, stopping it 48 hours before until 48 hours after each treatment. **Each time when I restarted the Poly-MVA, I experienced a rapid recovery from the previous chemo treatment**.

I completed eight rounds of chemotherapy, which **I tolerated much better than I ever imagined I would, a fact I attribute to the Poly-MVA**. In August 2007, I had a PET scan which **showed no residual colon cancer**.

However, the PET scan did show a small spot on my breast, which turned out to be **stage 1C breast cancer**, a tumor that **my oncologist estimated had been there at least two years and probably longer**.

This tumor was **HER positive which made it potentially aggressive**, yet it was grade 1 (slower growing) and had other favorable reducing its lethality, **I had a mastectomy and four rounds of chemo**, stopping Poly-MVA 24 hours before until 24 hours after each treatment. Again, the **Poly-MVA helped me recover from each treatment and I tolerated the treatments better than expected**.

Then I had five more months of Herceptin without stopping the Poly-MVA. I was prescribed an aromatase inhibitor which causes a post-menopausal woman's estrogen to drop to undetectable levels, but I experienced the side effects of episodic arrhythmia and stopped the drug. Now I take only Poly-MVA and a few other supplements.

**As I write this testimonial in April 2010, I have had three more clear PET scans**. I chose to use all tolls available to treat the cancer-Poly-MVA, chemo, lots of veggie juice, daily walking, yoga, and other supplements given to me by Dr. Milne.

**I would never, ever have chemo without Poly-MVA**. I believe without the Poly-MVA not only would I have had **more negative side effects from the chemo**; **I would not have had the same positive results**. I believe the Poly-MVA saved my life.

I have an extensive history of cancer in my family, and I intend to continue taking Poly-MVA indefinitely both to avoid a recurrence of the colon and breast cancers and to prevent a future new cancer.

Sincerely,

L. Jones

**Update: 2/17/12**

It is now **5 years since I was diagnosed with stage 3C colon cancer**, and **I have no recurrence of either the colon or breast cancer**. While I realize there are never guarantees, **I am delighted to have reached the 5 years mark, and I believe PolyMVA has helped me get to this point**. Indeed, I believe Poly saved my life.

I still take Poly at a dosage of 2 tsp 3 times a day, but this dosage may be reduced to twice a day when I see my doctor in a few weeks.

**I plan to take Poly for the rest of my life** since there is a high incidence of cancer in my family and I have been diagnosed with 2 primary cancers. My experience with Poly is extremely positive and I regularly recommend it to family, friends and acquaintances who encounter cancer.

L. Jones